



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS.

UNITED STATES.

[Reports to the Surgeon-General, Public Health and Marine-Hospital Service.]

Report from Gulfport, Miss.—Sanitary conditions satisfactory.

Passed Assistant Surgeon Ames reports, July 30, as follows:

Week ended July 28, 1906. The sanitary squad has continued its effective work, eradicating many foci of enteric infection and compelling property owners to keep their premises free from débris of every kind. Several new cases of enteric fever were reported. Half the population are unprovided with the proper means for the disposal of waste.

As far as a most careful survey can determine, there is no sickness of a suspicious character in Gulfport or Mississippi City. The encampment of the National Guard of Mississippi was concluded July 26. The hospital report showed few admissions and no deaths. Malarial cases were reported.

Disinfection of schooner Joseph G. Ray at Galveston, Tex., for tuberculosis.

Passed Assistant Surgeon Gardner reports, July 24, as follows:

A seaman suffering with pulmonary tuberculosis was taken off the American schooner, *Joseph G. Ray*. The forecabin of the schooner was disinfected, in accordance with the provisions of Department Circular No. 15, 1902.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES, YEARLY AND MONTHLY.

CALIFORNIA—*Sacramento*.—Month of June, 1906. Estimated population, 35,000. Total number of deaths, 41, including whooping cough 1, smallpox 1, and 5 from tuberculosis.

CONNECTICUT—*Bridgeport*.—Month of June, 1906. Estimated population, 90,000. Total number of deaths, 127, including diphtheria 2, measles 2, and 13 from tuberculosis.

MICHIGAN.—Month of June, 1906. The total number of deaths returned to the Department of State for the month of June was 2,650, a decrease of 377 from May, but an increase of 256 over the corresponding month of 1905. The death rate was 12.5 per 1,000 estimated population, as compared with 13.8 for the preceding month.

By ages there were 480 deaths of infants under 1 year, 179 deaths of children aged 1 to 4 years, and 713 deaths of elderly persons aged 65 years and over.

Important causes of death were as follows: Tuberculosis of lungs, 228; other forms of tuberculosis, 35; typhoid fever, 20; diphtheria and croup, 34; scarlet fever, 15; measles, 36; whooping cough, 33; pneumonia, 120; diarrheal diseases, under 2 years, 96; meningitis, 43; cancer, 123; accidents and violence, 207, of which number 54 were deaths from drowning.

There was one death returned from smallpox, occurring in the city of Bay City, Bay County.

Grand Rapids.—Month of June, 1906. Estimated population, 100,000. Total number of deaths, 99, including diphtheria 5, scarlet fever 1, whooping cough 1, and 4 from tuberculosis.

MISSOURI—*St. Louis.*—Month of June, 1906. Estimated population, 710,000—white, 665,000; colored, 45,000. Total number of deaths, 727; white, 643; colored, 84, including diphtheria 6, enteric fever 3, measles 1, whooping cough 10, and 110 from tuberculosis.

TENNESSEE—*Chattanooga.*—Month of June, 1906. Estimated population, 55,000—white, 38,000; colored, 17,000. Total number of deaths, 74; white, 35; colored, 37, including enteric fever 3, whooping cough 1, and 7 from tuberculosis.

WISCONSIN—*Milwaukee.*—Month of June, 1906. Estimated population, 345,000. Total number of deaths, 335, including diphtheria 2, enteric fever 6, measles 1, scarlet fever 1, whooping cough 1, and 42 from tuberculosis.

Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, June 29 to August 10, 1906.

[For reports received from December 29, 1905, to June 29, 1906, see PUBLIC HEALTH REPORTS for June 29, 1906.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
California:				
General	May 1-June 30		10	
Stockton	June 1-30	1		
Total for State		1	10	
Total for State, same period, 1905		9		
Connecticut:				
Stamford	June 1-30	1		
Total for State		1		
Total for State, same period, 1905				
Florida:				
Brevard County	June 24-30	1		
Columbia County	June 24-July 21	5		
Duval County (Jacksonville included)	June 24-July 28	11		
Nassau County	July 15-21	1		
St. Johns County	June 24-30	1		
Total for State		19		
Total for State, same period, 1905		2		